


TECHNICAL SPECIFICATION SHEET

PRODUCT NAME: AVALL Standard

PRODUCT CODE: AVS/002/B *Formerly AVS/001/B

Doc Rev 1. 19.10.2015. CF



KEY FEATURES

- O Single screen mount capacity 32" to 80"
- O Dual Screen capacity 32" to 65"
- Flat screen mount bracket
- Lockable castors
- o Column features internal equipment storage and cable management
- o Lockable back panel for security and easy access
- o Additional accessories available

Product Classification AV Products

Max load 60kg (132lbs) per screen

Build levelARecycled contentTBCTotal product recyclableTBC%



LOGISTICAL

Box contains AVALL Standard

Product net weight: 48 kg

Pallet dims (HxWxD) 1800 x 1200 x 800 mm

Pallet gross weight 51 kg

Pallet quantity 2 per pallet

Master dims (HxWxD) 1800 x 1200 x 800 mm

Master weight 126 kg

Country of origin Czech Republic

Country of configuration UK

ORDERING INFORMATION

<u>Colour</u> <u>Product code</u> <u>EAN</u>

Black AVS/002/B 5060270824084

WARRANTY

Warranty Term Limited lifetime

COMPLIANCE & SAFETY CERTIFICATION

Whilst no mandatory standards apply to the AVALL accessory product sector, this product is tested to CBS's own standard which is based on UL 1678, (Tall display stands in public spaces, excluding hospitals, schools or similar environments where children, people with diminished capacity or disabilities are likely to move

Conformance certification N/A
Test authority FIRA
Safety certification N/A



ENVIRONMENTAL

Material type Material type % PIR of % PCR of % of total product

Weight total weight recyclable

Data To Be Confirmed

CLEANING, STORAGE & MAINTENANCE

Routine servicing Periodic inspection
Service components Available to order

Cleaning & Maintenance Damp cloth, no abrasives, no solvents to be used on the cosmetic

surfaces

Handling & Storage Do not drop or expose to moisture

Colebrook Bosson Saunders (Products) Ltd accept no liability for the accuracy of the information contained herein and retain the right to modify the specifications or data contained herein without prior notification.

